

Teledyne Battery Products
Battery Eligibility Form 1516 Rev AP

OEM Manufacturer	Model(s)	Eligible Battery		PMA SUP #	Approval Basis		Validations (See NOTE)			Obsolete Part Number	OEM	
		LT Sealed	Dry Charge (Flooded) /Option		Ni-Cd to Pb Ac	STC #	EASA	ANAC	TCCA			
Aerostar (Piper)	PA-60-600, PA-60-601, PA-60-601P	7025-20 or 7025-24	G-25	4,11,64, 80			✓		✓	G-25M		
Agusta S.p.A	AB139, AW139	7638-44 and 7407-28		78	✓	SR00866DE						
	A109C, A109E, A119, AW119 MKII	7639-30LT		81		SR00860DE						
Air Tractor	AT-301 and AT-301A		GE-51C	4								
	AT-300, AT-302, AT-400, AT-400A, AT-402, AT-402A, AT-402B, AT-502, AT-502A, AT-502B, AT-503A, AT-504, AT-602, AT-802, AT-802A	7246-20	G-246	19, 77, 83						PS12-24P11	G-246AT / 7246-20AT	
Airbus Helicopters (Eurocopter)	AS350B, AS350B1, AS350B2, AS350B3, AS350BA, AS350C, AS350D, AS350D1	7641-20		63	✓	SR02493LA						
	BO-105A, BO-105C, MBB-BK117 A-1, -BK117 A-3, -BK117 A-4, -BK117 B-1, -BK117 B-2, -BK117 C-1	7639-27		49			✓		✓	G-639ES		
	BO-105S	7639-27 ²	G-639E	23, 49	✓	SH1410SO ⁴				G-639ES		
	EC135P1, EC135P2, EC135P2+, EC135T1, EC135T2, EC135T2+	7638-44		74	✓	SR00842DE	✓		✓			
MBB-BK117 C-2	7638-44		75	✓	SR00843DE	✓						
Alexandria Aircraft (Bellanca)	17-30, 17-30A, 17-31, 17-31A, 17-31TC, 17-31ATC	7035-28 or 7035-34		57, 79			✓		✓	G-35S	G-35	
American Champion	7ACA, 7ECA, 7GCBC	7025-20 or 7025-24		64, 80	SEE NOTE* AT END		✓		✓	PS6-9		
	7GCAA, 7GCBC, 7KCAB, 8KCAB	7035-28 or 7035-34		57, 79	SEE NOTE* AT END		✓		✓	G-35S	G-35	
ATR	ATR42-200, ATR42-300, ATR42-320, ATR42-500, ATR72-101, ATR72-102, ATR72-201, ATR72-202, ATR72-211, ATR72-212, ATR72-212A	7638-44 and 7641-20		68	✓	ST02886NY	✓					
Ayers	S-2R		G-88	6			✓		✓			
Beechcraft	A60	7246-20 ³	G-244	4			✓		✓			
	A99, A99A, 100, A100	7638-44 ³	G-6381E	13, 23	✓	SA894SO ⁴ SA1058SO ⁴				BB638/T		
	B99 (S/N's U148 through U164), F90 (S/N's LA-2 and After)	7638-44 ³	G-6381E	23	✓	SA1013SO	✓	✓		BB638/T		
	B100	7638-44 ²	G-6381E	13, 49	✓	SA1018SO				BB638/T		
	C23, C24R, F33C, V35B, A36, G36, D55, D55A, E55, E55A, 58TC, 58TCA, 76, 95-55, 95-A55, 95-B55, 95-B55A	7242-14 or 7242-16	G-242		77, 82			✓		✓		G-242
	DH.125 Series 400, HS.125 Series 600, HS. 125 Series 700, BH.125 Series 600, BAe.125 Series 800	7639-27			49			✓		✓	G-639ES	

¹ PMA Only

² 7000 SERIES APPROVED BY PMA

³ TSO AUTHORIZED; REQUIRES FIELD APPROVAL

⁴ CONTACT TELEDYNE FOR INSTALLATION VERIFICATION

Teledyne Battery Products
Battery Eligibility Form 1516 Rev AP

OEM Manufacturer	Model(s)	Eligible Battery		PMA SUP #	Approval Basis		Validations (See NOTE)			Obsolete Part Number	OEM	
		LT Sealed	Dry Charge (Flooded) /Option		Ni-Cd to Pb Ac	STC #	EASA	ANAC	TCCA			
Beechcraft	17, 18, 19, 24, 33, 36, 50	7035-28 ³	G-35	9, 11			✓		✓			
	19, 24, 55	7025-20 ³	G-25	4, 11			✓		✓	PS6-9		
	19A, B19, 23, A23, A23A, B23, C23, A24, A24R, B24R, C24R, E33, E33A, E33C, F33, G33, 35-33, 35-A33, 35-B33, 35-C33, 35-C33A, D55, D55A, E55, E55A, 58, 58A, 58P, 58TC, G58, 77, 95, B95, B95A, D95A, E95, 95-55, 95-A55, 95-B55, 95-C55, 95-C55A	7025-20 or 7025-24 OR 7035-28 or 7035-34	G-25 OR G-35	4, 11, 57 64, 79, 80				✓		✓	G-25S OR G-35S	G-25 OR G-35
	200, 200C, 200CT, 200T, B200, B200C, B200CT, B200T, B200C, B200GT, B200CGT, 300, B300 (350, 350i), B300C (350C), 390, C90, C90A, C90GT, E90, 1900	7638-44		85			SA00889DE					
	65, A65, 65-80, 65-A80, 65-B80, 65-88, 70		G-640E	4, 23	✓	SA1183SO						
	65-90, 65-A90, 65-A90-1(JU-21A, U-21A, RU-21A, RU-21D, U-21G, RU-21H), 65-A90-4(RU-21E, RU-21H), B90, B99, C90, C90A (S/N 1085 through 1533), E90, F90, 99, 99A, A00, A100(U-21F), A100A, 200(A100-1(U-21), A100-1 U-21J), A200(C-12A, C-12C), A200CT(C-12D, FWC-12D, RC-12D, C-12F, RC-12G, RG-12H, RC-12K, RC-12P), 200C, 200CT, B200, B200C (C-12F, UC-12F, UC-12M, C-12R), B200CT, B200T, 300, 300LW, B300, B300C, 400A S/N #RK-98 and after, MU-300-10, 400, 400T, Hawker 1000	7638-44 ²	G-6381E	23, 30, 38, 49, 60	✓ ³	SA1016SO ⁴ SA1017SO ⁴	✓	✓ ³	✓		G-6381ES	
	99, 99A, A99, A99A, 100, A100, A100A, B90, C90, E90, F90, 65-90, 65-A90		G-6381C	13								
	1900C, 1900D	7638-44		59	✓	SA02410LA						
3000	7638-44ST		67			✓		✓				
Bell	204B, 205A, 205A-1, 205B, 212, 222U, 412, 412EP	7638-44	G-6381E	13, 38, 43, 49	✓	SH2186SO ²	✓		✓	G-6381ES		
	206	7641-20 ³	G-641	23	✓	SH297NM		✓				
	206A, 206B, 206L, 206L-1, 206L-3, 206L-4	7641-20	G-641	50, 51, 61	✓	SR01406LA	✓	✓		G-641S		
	212, 412	7638-44 ³	G-6381E	23, 49	✓	SH1186SO	✓			BB638/T		
	412EP (with STC SH1186SO Installed)	7638-44		49			✓		✓	G-6381ES		
	47G-5	7035-28 ³	G-35	8, 11								
	407	7407-28		72	✓	SR00831DE	✓					
	429	7639-25 and 7638-53		55			✓		✓		7638-36 7638-44	

¹ PMA Only

² 7000 SERIES APPROVED BY PMA

³ TSO AUTHORIZED; REQUIRES FIELD APPROVAL

⁴ CONTACT TELEDYNE FOR INSTALLATION VERIFICATION

Teledyne Battery Products
Battery Eligibility Form 1516 Rev AP

OEM Manufacturer	Model(s)	Eligible Battery		PMA SUP #	Approval Basis		Validations (See NOTE)			Obsolete Part Number	OEM
		LT Sealed	Dry Charge (Flooded) /Option		Ni-Cd to Pb Ac	STC #	EASA	ANAC	TCCA		
Bombardier	DHC-8-100 Series, DHC-8-200 Series, DHC-8-300 Series	7638-44		49, 54		ST01526NY				G-6381ES	
British Aerospace	DH.125-400A, HS.125-600A, HS.125-700A, BH.125-600A, BAe.125-800A	7638-30 ³	G-639E	12, 23		ST1030SO	✓				
	Jetstream 3101 Series		G-639E	23	Pb Ac to Pb Ac	SA2948SO					
		7639-27		49			✓		✓	G-639ES	
Cessna	F152, FA152, 182Q, 182R, F182Q	7243-14 or 7243-16	G-243	58, 70			✓		✓	G243S	
	120, 140, 150, 150A, 150B, 150C, 150D, 150E, 150F, 150G, 150H, 150J, 150K, 150L, 150M, A150K, A150L, A150M, 170, 172, 172B, 172C, 172D, 172E, 172F (USAF T-41A), 172G, 172H (USAF T-41A), 172I, 172K, 172L, 172M, 172N, 175, 175B, 175C, 177, 177A, 177B, 188, 188A, 188B, T188C, 310, 310B, 310C, 310D, 310F, 310G, 310H, 310I, 310J, 310J-1, 310K, 310P, 310Q, 320, 340, F172D, F172E, F172F, F172G, F172H, F172K, F172L, F172M, F172N, P172D, E310H, E310J,	7025-28 ³	G-25	4, 11				✓	✓		G-25
	152, A152, 172N, R172K, 177B, 177RG, 180K 182Q, F182Q, R182, A185F, A188B, T188C, T206H, TU206G, U206G, 207A, T207A, 210M, 210N, 210R, P210N, T210M, T210N, T210R, 337H, FT337HP, P337H, T337H, T337H-SP, F152, FA152, F172N, FR172K, FR182	7242-14 or 7242-16	G-242	77, 82				✓	✓		
	152, A152, 172R, 172RG, 172S, 182, R182, T182, TR182, A188B, T303	7243-14 ³ or 7243-16 ³	G-241, G-243	4, 38, 42, 43				✓	✓		
	172, 188, 188A, 188B, A188, A188A, T188C, 210 (S/N 21059503 & ON), T210M, T210N, T210R	7243-14 ³	G-241, G-243	4, 38, 42, 43				✓	✓		
	172N, 172P, 172Q, F172N, F172P, FR172K, R172K, 182S, 182T, T182T, P210N	7243-16	G-243	58				✓	✓	G-243S	
	172, 182, 207, 210, 336, 337	7242-14 ³	G-242	4, 47				✓	✓	G-242S	

¹ PMA Only

² 7000 SERIES APPROVED BY PMA

³ TSO AUTHORIZED; REQUIRES FIELD APPROVAL

⁴ CONTACT TELEDYNE FOR INSTALLATION VERIFICATION

Teledyne Battery Products
Battery Eligibility Form 1516 Rev AP

OEM Manufacturer	Model(s)	Eligible Battery		PMA SUP #	Approval Basis		Validations (See NOTE)			Obsolete Part Number	OEM
		LT Sealed	Dry Charge (Flooded) /Option		Ni-Cd to Pb Ac	STC #	EASA	ANAC	TCCA		
Cessna	177, 177A, 177B, 180A, 180B, 180C, 180D, 180E, 180F, 180G, 180H, 180J, 180K, 182A, 182B, 182C, 182D, 182E, 182F, 182G, 182H, 182J, 182K, 182L, 182M, 182N, 182P, 182Q, 185, 185A, 185B, 185C, 185D, 185E, A185E, A185F, A188A, A188B, 190, 195, 195A, 195B, 206, P206, P206A, P206B, P206C, P206D, P206E, U206, U206A, U206B, U206C, U206D, U206E, U206F, U206G, 207, 207A, T207, T207A, 210, 210B, 210C, 210D, 210E, 210F, 210G, 210H, 210J, 210K, T210F, T210G, T210H, T210J, T210K, T210L, T210M, T210N, T210R	7035-28 or 7035-34	G-35	57, 79			✓		✓	G-35S	G-35
	180, 182, 188	7035-28 ³	G-35	4, 11			✓		✓		
	208, 208A, 208B	7638-44 ²	G-6381E	28, 29, 49		ST01117LA ⁴		✓		G-6381ES	
	310, 335, 340, 402, 404, 414, 421	7246-20 ³	G-244	4			✓		✓	PS12-24P9	
	310R, T310R, 404	7246-20	G-246	77			✓		✓		
	425	7638-44 ²	G-6381E	23, 49		SA224550					
	441	7638-44		49			✓		✓	G-6381ES	
	500, 501, 550, 551, S550, 560, 560XL, 650, 680, 750	7638-44T	G-6381E	23, 73	✓	ST00796DE	✓				
	510	7639-30LT		69			✓		✓		7639-30
525, 525A, 525B, 525C	7638-44T		73	✓	SA00797DE	✓					
Cirrus	SR20, SR22, SR22T	7243-14 or 7243-16	G-243	41, 58, 70			✓		✓	G243S	
CPAC, Inc. (Commander Aircraft Corp.)	112, 112B, 112TC, 112TCA, 114, 114A	7025-20 or 7025-24 OR 7035-28 or 7035-34	G-25, G-35	✓			✓		✓	G-25S, PS6-9 G-35S	G-25, G-35
	114B, 114TC	7243-14 or 7243-16	G-243	✓			✓		✓	G243S	G-243
Dassault	Fan Jet Falcon Series C, D, E, F (Falcon 20)	7638-44 ²	G-6381E/C	13, 23, 49 ¹		SA121550	✓ ¹		✓ ¹		
	Falcon 10	7639-27		49			✓		✓	G-639ES	
Diamond	DA 40, DA 42	7243-14 or 7243-16		58, 70			✓		✓	G243S	G-243
Embraer	EMB-110P1, EMB-110P2	7638-44 ²	G-6381E/C	13, 23, 49		SA116750	✓ ¹	✓	✓ ¹	BB638/T	
	EMB-500 (Phenom 100)	7639-30LT or 7639-27		53, 71			✓		✓		

¹ PMA Only

² 7000 SERIES APPROVED BY PMA

³ TSO AUTHORIZED; REQUIRES FIELD APPROVAL

⁴ CONTACT TELEDYNE FOR INSTALLATION VERIFICATION

Teledyne Battery Products
Battery Eligibility Form 1516 Rev AP

OEM Manufacturer	Model(s)	Eligible Battery		PMA SUP #	Approval Basis		Validations (See NOTE)			Obsolete Part Number	OEM	
		LT Sealed	Dry Charge (Flooded) /Option		Ni-Cd to Pb Ac	STC #	EASA	ANAC	TCCA			
Embraer	EMB-505 (Phenom 300)	7639-34 and 7638-48P or 7638-36		53, 71			✓		✓			
Enstrom	TH-28, 480, 480B	7641-20	G-641	62			✓		✓			
Globe (Swift)	GC-1A, GC-1B	7035-28		57			✓		✓	G-35S	G-35	
Gulfstream Aerospace	G-159	7638-44 ²	G-6381E/C	13, 23		SA1050SO ²				G-6381ES		
	G-1159	7638-44 ²		49 ¹			✓		✓	G-6381ES		
Gulfstream Aerospace	G280 (Licensing Agreement)	7638-38HT		66			✓				Licensing Agreement	
Gulfstream Commander	500, 520, 560, 560A, 560E, 680, 680E, 720		GE-50C	14								
Israel Aircraft Industries	1121, 1121A , 1121B (Aero Commander), 1123, 1124 (Westwind)	7638-44 ²	G-6381E/C	13, 49	✓	SA1213SO ² SA1214SO ²	✓ ¹		✓ ¹	G-6381ES		
Learjet	23, 24, 24A, 24B, 24B-A, 24C, 24D, 24D-A, 24E, 24F, 24F-A, 25, 25B, 25C, 25D, 25F	7638-44 ²	G-6381E/C	13, 27, 45, 49	✓	ST10330SO-1	✓	✓				
	24, Starting With S/N 210, 25, S/N 040, 046 and Subsequent, all 28, 35 Series Originally Equipped with Ni-Cd with Thermal Switches	7638-44 ²	G-6381E/C	13	✓	ST10330SO-2	✓	✓				
Learjet	Used with G.L.C Service Bulletins 24/25-334A, 28/29-24-5A and 35/36-24-10 for Models: 24-357, 25-059, 25-060, 25-061, 25-066 Thru 25-373, 28-001 Thru 28-005, 29-001 Thru 29-004, 35-001 Thru 35-570, 35-589 Thru 35-600, 36-001 Thru 36-053 and 35-055	7638-44 ²	G-6381E/C	13	✓	ST10330SO-3	✓	✓				
	25A, 28, 29, 31, 31A, 35, 35A, 36A, 55, 55B, 55C, 60	7638-44	G-6381E	27, 45, 49			✓		✓	G-6381ES		
Lockheed-Georgia	1329-23 Series	7638-44 ²	G-6381E/C	13, 49		ST1032SO ²	✓ ¹		✓ ¹	G-6381ES		
Maule	M-4-180V, M-6-180, M-6-235, M-7-235, M-7-235A, M-7-235B, M-7-235C, M-7-260, M-7-260C, M-8-235, MT-7-235, MT-7-260, MX-7-160, MX-7-160C, MX-7-180, MX-7-180A, MX-7-180B, MX-7-180C, MX-7-180 AC, MXT-7-160, MXT-7-180, MXT-7-180A	7035-28 or 7035-34 OR 7243-14 or 7243-16	G-35, G-35M G-243	1, 57, 58, 70, 79				✓		✓	G-35S G-243S	G-35 G-243
	M-4-180C, M-4-210, M-4-210C, M-4-230C, M-5-200, M-5-210C, M-5-220C	7035-28 ³	G-35M	1				✓		✓		
	M-5-180C, M-5-235C	7035-28 or 7035-34	G-35, G-35M	1, 57, 79				✓		✓	G-35S	G-35

¹ PMA Only

² 7000 SERIES APPROVED BY PMA

³ TSO AUTHORIZED; REQUIRES FIELD APPROVAL

⁴ CONTACT TELEDYNE FOR INSTALLATION VERIFICATION

Teledyne Battery Products
Battery Eligibility Form 1516 Rev AP

OEM Manufacturer	Model(s)	Eligible Battery		PMA SUP #	Approval Basis		Validations (See NOTE)			Obsolete Part Number	OEM
		LT Sealed	Dry Charge (Flooded) /Option		Ni-Cd to Pb Ac	STC #	EASA	ANAC	TCCA		
Maule	M-7-420A, M-7-420AC, MT-7-420, MX-7-235	7243-14	G-243	70			✓		✓	G243S	G-243
	M-5-180C, M-5-235C, MX-7-235	7243-16	G-243	58			✓		✓	G243S	G-243
MD Helicopters Inc.	369, 369A, 369D, 369E, 369F, 369FF, 369H, 369HE, 369HM, 369HS, 500N, 600N	7641-20 ²	G-641	39, 50	✓	SR01427LA	✓	✓		G-641S	
Mitsubishi	MU-2B, MU-2B-10, -15, -20, -25, -26, -26A, -30, -35, -36, -36A, -40, -60	7638-44 ²	G-6381E/C	13, 49	✓	SA1042SO	✓ ¹		✓ ¹	G-6381ES	
	YS-11A-200, YS-11A-300, YS-11A-500, YS-11A-600	7639-27		49			✓		✓	G-639ES	
Mooney	M20, M20A, M20B, M20C, M20D, M20E, M20F, M20G, M20J, M20K	7035-28 or 7035-34 OR 7242-14 or 7242-16	G-35 G-246	8, 11, 57, 77, 79, 82			✓		✓	G-35S	
	M20L, M20M, M20R, M20S, M20TN	7243-14 or 7243-16		58			✓		✓	G243S	
	M20J, M20K	7242-14 or 7242-16 OR 7243-14 or 7243-16	G-246	58, 77, 82			✓		✓	G-243S	G-246
North American	AT6-C, AT6-D, AT6-F, T-6G, SNJ-5, SNJ-6, SNJ-7, or any BC-1A, AT6, AT6-A, AT6-B, SNJ-2, SNJ-3, SNJ-4 Converted ; to 24 volts per North American Dwg. 121-954004. P-51		GE-50C	14			✓		✓		
Pilatus	PC-12, PC-12/45, PC-12/47, PC-47E Series	7638-44	G-6381E	38, 76	✓	SA00867DE	✓			G-6381ES	
Piper	PA-11, PA-12, PA-14, PA-16, PA-22, PA-23, PA-24, PA-25, PA-28, PA-30, PA-32, PA-34, PA-39, PA-44	7035-28 ³	G-35	11			✓		✓		
	PA-11, PA-22-108, PA-22-135, PA-22-150, PA-22-160, PA-23-235, PA-23-250, PA-28-140, PA-28-150, PA-28-151, PA-28-160, PA-28-161, PA-28-180, PA-28-181, PA-28-201T, PA-28-235, PA-28-236, PA-28R-180, PA-28R-200, PA-36-285, PA-36-300, PA-36-375, PA-38-112	7025-20 or 7025-24	G-25	64, 80				✓		✓	G-25S

¹ PMA Only

² 7000 SERIES APPROVED BY PMA

³ TSO AUTHORIZED; REQUIRES FIELD APPROVAL

⁴ CONTACT TELEDYNE FOR INSTALLATION VERIFICATION

Teledyne Battery Products
Battery Eligibility Form 1516 Rev AP

OEM Manufacturer	Model(s)	Eligible Battery		PMA SUP #	Approval Basis		Validations (See NOTE)			Obsolete Part Number	OEM	
		LT Sealed	Dry Charge (Flooded) /Option		Ni-Cd to Pb Ac	STC #	EASA	ANAC	TCCA			
Piper	PA-18, PA-18A, PA-18A"150", PA-18S, PA-18S"125", PA-18A"135", PA-18S"135", PA-18"150", PA-20, PA-20S, PA-20"115", PA-20S"115", PA-20"135", PA-20S"135", PA-22, PA-22-108, PA-22-135, PA-22S-135, PA-22-150, PA-22S-150, PA-22-160, PA-22S-160, PA-23, PA-23-160, PA-23-235, PA-23-250, PA-24, PA-24-250, PA-24-260, PA-24-400, PA-28-140, PA-28-150, PA-28-151, PA-28-160, PA-28-180, PA-28R-180, PA-28R-200	7035-28	G-35	57				✓		✓	G-35S	
	PA-22-125	7025-24	G-25	80				✓		✓		G-25
	PA-23, PA-31	7246-20 ³ OR 7242-14 ³	G-244 or G-246	4				✓		✓	PS12-24P9 PS12-24P11	
	PA-28-161, PA-28-181	7035-28 OR 7243-14	G-35	57, 70				✓		✓	G-35S	
	PA-28R-201, PA-28R-201T, PA-30, PA-32-301, PA-32R-301, PA-32-301T, PA-32R-301T, PA-34-200, PA-34-200T, PA-36-375, PA-39, PA-44-180, PA-44-180T	7035-28 or 7035-34	G-35	57, 79				✓		✓	G-35S	G-35
	PA-28RT-201, PA-28RT-201T, PA- 32-260, PA-32-300, PA-32R-300, PA-32RT-300, PA-32RT-300T,	7025-20 or 7025-24 OR 7035-28 or 7035-34	G-25 OR G-35	57, 64, 79 80				✓		✓	G-25S	G-25 OR G-35
	PA-31P-350		G-247	6				✓		✓		
	PA-31T, - 31T1, -31T2, PA-42, and PA-42-720 Series	7638-44 ²	G-6381E	23, 31, 49	✓	SA1728SO ⁴	✓ ¹	✓	✓ ¹	G-6381ES		
	PA-32-301FT, PA-32-301XTC, PA-32R-301 (HP), PA-32R-301(SP), PA-32R-301T, PA-46-310P, PA-46-350P	7243-14		70				✓		✓		
	PA-36	7242-14 ³	G-242	4				✓		✓	G-242S, PS12-11	
	PA-36, PA-38, Aerostar 600, 601 and 601P	7025-20 ³	G-25	4, 11				✓		✓	PS6-9	
	PA-36-285, PA-36-300	7035-34		79				✓		✓		
	PA-46R-350T	7243-16		65				✓		✓	G-250S	
Robinson Helicopter Company	R-22, R-22 ALPHA, R-22 BETA, R-22 MARINER, R-44, R-44 II	7025-24		84				✓		✓		

¹ PMA Only

² 7000 SERIES APPROVED BY PMA

³ TSO AUTHORIZED; REQUIRES FIELD APPROVAL

⁴ CONTACT TELEDYNE FOR INSTALLATION VERIFICATION

Teledyne Battery Products
Battery Eligibility Form 1516 Rev AP

OEM Manufacturer	Model(s)	Eligible Battery		PMA SUP #	Approval Basis		Validations (See NOTE)			Obsolete Part Number	OEM
		LT Sealed	Dry Charge (Flooded) /Option		Ni-Cd to Pb Ac	STC #	EASA	ANAC	TCCA		
Robinson Helicopter Company	R-44, R-44 II	7242-14, 7242-16		86			✓		✓		
Raytheon	680T, 680V, 680W	7638-44 ³	G-6381E/C	13	✓	SA887SO ⁴				BB638/T	
	690, 690A	7638-44 ³	G-6381E	13	✓	SA1059SO				BB638/T	
	MU-300-10, -400, -400T	7638-44 ³	G-6381E	38			✓		✓		
	NA-265 Series	7638-44 ³	G-6381E/C	13	✓	ST1031SO				BB638/T	
Sabreliner	NA-265, NA-265-20, -30, -40, -60, -65, -70, -80	7638-44		49			✓		✓	G-6381ES	
Schweizer Aircraft Corp.	269D	7641-20		50			✓		✓	G-641S	G-641
SIAI-MARCHETTI Srl	F.260	7639-27		49			✓		✓	G-639ES	
Sikorsky	269C, 269C-1	7243-14		70			✓		✓		
	S-76A, S-76C	7638-44 ²	G-6381E	38, 46, 49		SR01601NY-D				G-6381ES	
	S-76B	7638-44	G-6381E	38, 49			✓		✓	G-6381ES	
Slingsby Aviation, Ltd.	T67M260, T67M260-T3A		G-243	38, 43			✓		✓	G-243S	
Socata	GA- 7	7025-20 or 7025-24		64, 80			✓		✓		
Socata	TB9, TB10, TB20, TB21, TB200	7242-14 7242-16		77, 82			✓		✓		G-242
	TBM-700	7638-44 ²	G-6381E	38, 49			✓		✓	G-6381ES	
True Flight (Grumman)	AA-1, AA-1A, AA- 1B, AA-1C, AA-5, AA-5A, AA-5B	7025-20 or 7025-24		64, 80			✓		✓		G-25
	AA-5, AA-5A, AA-5B, AG-5B	7243-16		58			✓		✓	G243S	G-243
Twin Commander Aircraft	680T, 680V, 680W, 690, 690A	7638-44		49			✓		✓	G-6381ES	

***Notes**

For vintage aircraft (pre January 1980), Refer to AC 23-27: Basically allows installation of a "similar series" PMA product. The installation should be indicated in the log book - as a MINOR alteration. Reference the original battery and replacement manufacturer's identification and specifications of original and replacement batteries.

For cases where appropriate PMA traceability is not clear, please contact Teledyne Battery Products' Customer Support. We will provide necessary documentation as needed.

ANAC Agencia Nacional de Aviacao Civil (Civil Aviation - Brazil)
EASA European Aviation Safety Agency
TCCA Transport Canada Civil Aviation

NOTE

PMA approval per Technical Implementation Procedures EASA (Bi-Lateral Agreements, Rev 6; SEE 7.11)
PMA approval per Technical Implementation Procedures TCCA (Bi-Lateral Agreements, Rev 2; SEE 7.5)

¹ PMA Only

² 7000 SERIES APPROVED BY PMA

³ TSO AUTHORIZED; REQUIRES FIELD APPROVAL

⁴ CONTACT TELEDYNE FOR INSTALLATION VERIFICATION